

Test Booklet Code

E3

MEDICAL | IIT-JEE | & +2(Board Level)

07/05/2023

NEET(UG): 2023 [QUESTION WITH ANSWER]

Physics: Section A (Q. No. 1 to 35)

- 1. The temperature of a gas is -50°C. To what temperature the gas should be heated so that the rms speed is increased by 3 times?
 - (1) 669°C
- (2) 3298°C
- (3) 3097 K
- (4) 223 K

Ans. (2)

- **2.** An ac source is connected to a capacitor C. Due to decrease in its operating frequency:
 - (1) capacitive reactance decreases
 - (2) displacement current increases
 - (3) displacement current decreases
 - (4) capacitive reactance remains constant

Ans. (3)


- **3.** Given below are two statements:
 - **Statement I:** Photovoltaic devices can convert optical radiation into electricity.
 - **Statement II :** Zener diode is designed to operate under reverse bias in breakdown region.
 - In the light of the above statatements, choose the *most appropriate* answer from the options given below:
 - (1) Both Statement I and Statement II are correct
 - (2) Both Statement I and Statement II are incorrect
 - (3) Statement I is correct but Statement II is incorrect.
 - (4) Statement I is incorrect but Statement II is correct

Ans. (1)

- 4. Resistance of a carbon resistor determined from colour codes is $(22000 \pm 5\%)\Omega$. The colour of third band must be:
 - (1) Red
- (2) Green
- (3) Orange
- (4) Yellow

Ans. (3)

5. If the galvanometer G does not show any deflection in the circuit shown, the value of R is given by:



- (1) 200Ω
- (2) 50 Ω
- (3) 100Ω
- (4) 400Ω

Ans. (3)


- An electric dipole is placed at an angle of 30° with an electric field of intensity 2×10^{5} NC⁻¹. It experiences a torque equal to 4 Nm Calculate the magnitude of charge on the dipole, if the dipole length is 2 cm
 - (1) 8 mC
- (2) 6 mC
- (3) 4 mC
- (4) 2 mC

Ans. (4)

- 7. A vechile travels half the distance with speed υ and the remaining distance with speed 2υ . Its average speed is:
 - $(1) \frac{\upsilon}{3}$
- (2) $\frac{2v}{3}$
- $(3) \ \frac{4v}{3}$
- $(4) \quad \frac{3v}{4}$

Ans. (3)

8. The magnitude and direction of the current in the following circuit is



(1) 0.2 A from B to A through E

- (2) 0.5 A from A to B through E
- (3) $\frac{5}{9}$ A from A to B through E
- (4) 1.5 A from B to A through E

Ans. (2)

- 9. In a LCR circuit, the inductance L is 10 mH, capacitance C is 1 μ F and resistance R is 100 Ω . The frequency at which resonance occurs is:
 - (1) 15.9 rad/s
- (2) 15.9 kHz
- (3) 1.59 rad/s
- (4) 1.59 kHz

Ans. (4)

- **10.** Light travels a distance x in time t_1 in air and 10 xin time t₂ in another denser medium. What is the critical angle for this medium?

 - (1) $\sin^{-1}\left(\frac{t_2}{t_1}\right)$ (2) $\sin^{-1}\left(\frac{10t_2}{t_1}\right)$
 - (3) $\sin^{-1}\left(\frac{t_1}{10t_2}\right)$ (4) $\sin^{-1}\left(\frac{10t_1}{t_2}\right)$

Ans. (4)

- 11. The minimum wavelength of X-rays produced by an electron accelerated through a potential difference of V volts is proportional to:
 - (1) \sqrt{V}

- 12. A bullet is fired from a gun at the speed of 280 ms⁻¹ in the direction 30° above the horizontal. The maximum height attained by the bullet is $(g = 9.8 \text{ ms}^{-2}, \sin 30^{\circ} = 0.5)$
 - (1) 2800 m
- (2) 2000 m
- (3) 1000 m
- (4) 3000 m

Ans. (3)

- 13. A full wave rectifier circuit consists of two p-n junction diodes, a centre-tapped transformer, capacitor and a load resistance. Which of these components remove the ac ripple from the rectified output?
 - (1) A centre-tapped transformer
 - (2) p-n junction diodes
 - (3) Capacitor
 - (4) Load resistance

Ans. (3)

- 14. The amout of energy required to form a soap bubble of radius 2 cm from a soap solution is nearly: (surface tension of soap solution = 0.03 N m^{-1})
 - (1) $30.16 \times 10^{-4} \text{ J}$ (2) $5.06 \times 10^{-4} \text{ J}$
 - (3) $3.01 \times 10^{-4} \text{ J}$
 - (4) $50.1 \times 10^{-4} \text{ J}$

Ans. (3)

- 15. The ratio of frequencies of fundamental harmonic produced by an open pipe to that of closed pipe having the same length is:
 - (1) 1:2
- (2) 2:1
- (3) 1:3
- (4) 3:1

Ans. (2)

- 16. Let a wire be suspended from the ceiling (rigid support) and stretched by a weight W attached at its free end. The longitudinal stress at any point of cross-sectional area A of the wire is:
 - (1) 2W/A
- (2) W/A
- (3) W/2A
- (4) Zero

Ans. (2)

- A metal wire has mass (0.4 ± 0.002) g, radius (0.3 ± 0.001) mm and length (5 ± 0.02) cm. The maximum possible percentage error in the measurement of density will nearly be:
 - (1) 1.2%
- (2) 1.3%
- (3) 1.6%
- (4) 1.4%

Ans. (1)

For Young's double slit experiment, two statements are given below:

> **Statement I:** If screen is moved away from the plane of slits, angular separation of the fringes remains constant.

> Statement II: If the monochromatic source is replaced by another monochromatic source of larger wavelength, the angular separation of fringes decreases.

> In the light of the above statements, Choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both **Statement I** and **Statement II** are false
- (3) **Statement I** is true but **Statement II** is false.
- (4) Statement I is false but Statement II is true

Ans. (2)

- 19. The angular acceleration of a body, moving along 25. the circumference of a circle is:
 - (1) along the radius, away from centre
 - (2) along the radius towards the centre
 - (3) along the tangent to its position
 - (4) along the axis of rotation

Ans. (4)


20. In a plane electromagnetic wave travelling in free space, the electric field component oscillates sinusoidally at a frequency of 2.0×10^{10} Hz and amplitude 48 V m⁻¹. Then the amplitude of oscillating magnetic field is:

(Speed of light in free space = $3 \times 10^8 \text{ ms}^{-1}$)

- (1) $1.6 \times 10^{-9} \text{ T}$ (2) $1.6 \times 10^{-8} \text{ T}$ (3) $1.6 \times 10^{-7} \text{ T}$ (4) $1.6 \times 10^{-6} \text{ T}$

Ans. (3)

21. The equivalent capacitance of the system shown in the folloing circuit is:



- (1) $2 \mu F$
- (2) $3 \mu F$
- (3) $6 \mu F$
- (4) 9 uF

Ans. (1)

- 22. A football player is moving shoutward and suddenly turns eastward with the same speed to avoid an opponent. The force that acts on the player while turning is:
 - (1) along eastward
- (2) along northwards
- (3) along north-east (4) along south-west
- Ans. (3)
- **23.** The venturi-meter works on :
 - (1) Huygen's priciple
 - (2) Bernoulli's principle
 - (3) The principle of parallel axes
 - (4) The principle of perpendicular axes

Ans. (2)

- 24. The magnetic energy stored in an inductor of inductance 4 µH carryuing a current of 2A is:
 - (1) $4 \mu J$
- (2) 4 mJ
- (3) 8 mJ
- (4) $8 \mu J$

Ans. (4)

Two bodies of mass m and 9m are placed a distance R. The gravitational potential on the line joining the bodies where the gravitational fied equals zero, will be

(G = gravitational constant):

- (1) $-\frac{8Gm}{R}$ (2) $-\frac{12Gm}{R}$
- (3) $-\frac{16Gm}{R}$ (4) $-\frac{20Gm}{R}$

Ans. (3)

- The work functions of Caesium (Cs), Potassium **26.** (K) and Sodium (Na) are 2.14 eV, 2.30eV and 2.75 eV respectively. If incident electromagnetic radiation has an incident energy of 2.20 eV, which of these photosensitive surfaces may emit photoelectrons?
 - (1) Cs only
- (2) Both Na and K
- (3) K only
- (4) Na only

Ans. (1)

- 27. A 12 V, 60 W lamp is connected to the secondary of a step down transformer, whose primary is connected to ac mains of 220 V. Assuming the transformer to be ideal, what is the current in the primary winding?
 - (1) 0.27 A
- (2) 2.7 A
- (3) 3.7 A
- (4) 0.37 A

Ans. (1)

- The net magnetic flux through any closed surface 28.
 - (1) Zero
- (2) Positive
- (3) Infinity
- (4) Negative

Ans. (1)

- The potential energy of a long spring when 29. stretched by 2 cm is U. If the spring is stretched by 8 cm, potential energy stored in it will be:
 - (1) 2 U
- (2) 4U
- (3) 8 U
- (4) 16 U

Ans. (4)

The half life of a radioactive substance is 20 30. minutes. In how much time, the activity of

substance drops to $\left(\frac{1}{16}\right)^{th}$ of its initial value?

- (1) 20 minutes
- (2) 40 minutes
- (3) 60 minutes
- (4) 80 minutes

Ans. (4)

- **31.** A Carnot engine has an efficiency of 50% when its source is at a temeprature 327°C. The temperature of the sink is:
 - (1) 27° C
- (2) 15° C
- (3) 100° C
- (4) 200° C

Ans. (1)

- **32.** If $\oint \vec{E} \cdot \vec{dS} = 0$ over a surface, then :
 - (1) the number of flux lines entering the surface must be equal to the number of flux lines leaving it.
 - (2) the magnitude of electric field on the surface is constant.
 - (3) all the charges must necessarily be inside the surface.
 - (4) the electric field inside the surface is necessarily uniform.

Ans. (1)

- 33. In hydrogen spectrum, the shortest wavelength in the Balmer series is λ . The shortest wavelength in the Bracket series is:
 - $(1) 2 \lambda$
- (2) 4 λ
- $(3) 9 \lambda$
- (4) 16λ

Ans. (2)

- **34.** The errors in the measurement which arise due to unpredictable fluctuations in temperature and voltage supply are:
 - (1) Instruemental erorrs
 - (2) Personal errors
 - (3) Least count errors
 - (4) Random errors

Ans. (4)

- The ratio of radius of gyration of a solid sphere of **35.** mass M and radius R about its own axis to the radius of gyration of the thin hollow sphere of same mass and radius about its axis is:
 - $(1) \ 3:5$
- (2) 5:3
- (3) 2:5
- (4) 5:2


Ans. (1)

Physics: Section B (Q. No. 36 to 50)

- 36. Two thin lenses are of same focal lengths (f), but one is convex and the other one is concave. When they are plajeed in contact with each fother, the equivalent focal lenght of the combination will be:
 - (1) Zero
- (2) f/4
- (3) f/2
- (4) Infinite

Ans. (4)

37. In the figure shown here, what is the equivalent focal length of the combination of lenses (Assume that all layers are thin)?



- (1) 40 cm
- (2) -40 cm
- (3) -100 cm
- (4) -50 cm

Ans. (3)

- The radius of inner most orbit of hydrogen atom is 38. 5.3×10^{-11} m. What is the raidius of third allowed orbit of hydrogen atom?
 - (1) 0.53Å
- (2) 1.06 Å
- (3) 1.59Å
- (4) 4.77 Å


Ans. (4)

- 10 resistors, each of resistance R are connected in series to a battery of emf E and negligible internal resistance. Then those are connected in parallel to the same battery, the current is increased n times. The value of n is:
 - (1) 10
- (2) 100
- (3) 1
- (4) 1000

Ans. (2)

40. • An electric dipole is placed as shown in the figure. The electric potential (in 10² V) at point P due to the dipole is $(\in_0 = \text{permittivity of free space and})$

$$\frac{1}{4\pi \in_0} = K$$




- $(1) \left(\frac{3}{8}\right) qK \qquad (2) \left(\frac{5}{8}\right) qK$
- (3) $\left(\frac{8}{5}\right) qK$ (4) $\left(\frac{8}{3}\right) qK$

Ans. (1)

- **41.** Calculate the maximum acceleration of a moving car so that a body lying on the floor of the car remains stationary. The coefficient of static friction betweenf the body and the floor is 0.15 (g = 10 ms^{-2}).
 - $(1) 1.2 \text{ ms}^{-2}$
- $(2) 150 \text{ ms}^{-2}$
- $(3) 1.5 \text{ ms}^{-2}$
- $(4) 50 \text{ ms}^{-2}$

Ans. (3)

For the following logic circuit, the truth table is:




- (1) A 0
- (2) A В 0 0

- 1
- (3) A
- (4) A B
- 0

- 0 0

Ans. (2)

43. The x-t graph of a particle performing simple harmonic motion is shown in the figure. The acceleration of the particle at t = 2 s is:



- (3) $\frac{\pi^2}{16} \text{ ms}^{-2}$ (4) $-\frac{\pi^2}{16} \text{ ms}^{-2}$

Ans. (4)

A bullet from a gun is fired on a rectangular wooden block with velocity u. When bullet travels 24 cm through the block along its length horizontally,

velocity of bullet becomes $\frac{u}{3}$. Then it further

penetrates into the block in the same direction before coming to rest exactly at the other end of the block. The total length of the block is:

- (1) 27 cm
- (2) 24 cm
- (3) 28 cm
- (4) 30 cm

Ans. (1)


45. A very long conducting wire is bent in a semicircular shape from A to B as shown in figure. The magnetic field at point P for steady current configuration is given by:



- (1) $\frac{\mu_0 i}{4R}$ pointed into the page
- $\frac{\mu_0 i}{4R}$ pointed away from the page
- (3) $\frac{\mu_0 i}{4R} \left[1 \frac{2}{\pi} \right]$ pointed away from page
- (4) $\frac{\mu_0 i}{4R} \left[1 \frac{2}{\pi} \right]$ pointed into the page

Ans. (3)

46. The net impedance of circuit (as shown in figure



- (1) $10\sqrt{2}\Omega$
- (2) 15 Ω
- (3) $5\sqrt{5}\Omega$
- (4) 25 Ω

47. A satellite is orbiting just above the surface of the earth with period T. If d is the density of the earth and G is the universaal constant of gravitation, the

quantity $\frac{3\pi}{Gd}$ represents:

- (1) T
- (2) T^2
- $(3) T^3$
- (4) \sqrt{T}

Ans. (2)

- **48.** A wire carrying a current I along the positive xaxis has length L. It is kept in a magnetic field $\vec{B} = (2\hat{i} + 3\hat{j} - 4\hat{k}) T$. The magnitude of the magnetic force acting on the wire is:
 - (1) 3 IL
- (2) $\sqrt{5}$ IL
- (3) 5 IL
- (4) $\sqrt{3}$ IL

Ans. (3)

- **49.** The resistance of platinum wire at 0° C is 2Ω and 6.8 Ω at 80°C. The temperature coefficient of resistance of the wire is:
 - (1) $3 \times 10^{-4} \, {}^{\circ}\text{C}^{-1}$ (2) $3 \times 10^{-3} \, {}^{\circ}\text{C}^{-1}$ (3) $3 \times 10^{-2} \, {}^{\circ}\text{C}^{-1}$ (4) $3 \times 10^{-1} \, {}^{\circ}\text{C}^{-1}$

Ans. (3)

- **50.** A horizontal bridge is built across a river. A student standing on the bridge throws a small ball vertically upwards with a velocity 4 ms⁻¹. The ball strikes the water surface after 4 s. The height of bridge above water surface is (Take $g = 10 \text{ ms}^{-2}$):
 - (1) 56 m
- (2) 60 m
- (3) 64 m
- (4) 68 m

Ans. (3)

Chemistry: Section A (Q. No. 51 to 85)

51. The given compound

is an example of .

- (1) benzyleic halid (2) aryl halide
- (3) allylic halide
- (4) vinylic halide

- **52.** Intermolecular forces are forces of attraction and repulsion between interacting particles that will be include
 - A. dipole dipole forces
 - B. dipole induced dipole forces
 - C. hydrogen bonding
 - D. covalent bonding
 - E. disperon forces

Choose the most appropriate answer fro the options given below:

- (1) B, C, D, E are correct
- (2) A, B, C, D are correct
- (3) A, B, C, E are correct
- (4) A, C, D, E are correct

Ans. (3)

- 53. Which amongst the following molecules on polymerization produces neoprene?
 - (1) $H_2C = CH CH = CH_2$

(2)
$$H_2C = C - CH = CH_2$$

(3)
$$H_2C = CH - C \equiv CH$$

(4)
$$H_2C = C - CH = CH$$

Ans. (2)

Identify product (A) in the following reaction

$$\xrightarrow{\text{Zn-Hg}}$$
 (A) + 2H₂O

$$\begin{array}{c} \text{OH} \\ \text{CH}_2 \\ \end{array}$$

Ans. (1)

- 55. The correct order of energies of molecular orbitals of N₂ molecule, is
 - (1) $\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2p_z < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
 - (2) $\sigma ls < \sigma * ls < \sigma 2s < \sigma 2s < \sigma 2p_z <$ $(\pi 2p_x = \pi 2p_y) < (\pi * 2p_x = \pi * 2p_y) < \sigma * 2p_z$
 - (3) $\sigma ls < \sigma * ls < \sigma 2s < \sigma * 2s < \sigma 2p_z < \sigma * 2p_z < \sigma * 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi * 2p_x = \pi * 2p_y)$
 - (4) $\sigma ls < \sigma * ls < \sigma 2s < \sigma * 2s < (\pi 2p_x = \pi 2p_y) < (\pi * 2p_x = \pi * 2p_y) < \sigma 2p_z < \sigma * 2p_z$

Ans. (1)

56. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: Metallic sodium dissolves in liquid ammonia giving a deep blue solution which is paramagnetic

Reason R: The deep blue solution is due to the formation of amide.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are trueand R is the correct explanation of A.
- (2) Both A and R are true but R is NOT the correct explanation of A.
- (3) A is true but R is false
- (4) A is false but R is true

Ans. (3)

- **57.** Homoleptic complex from the following omplexes is:
 - (1) Potassium trioxalatoaluminate (III)
 - (2) Diamminechloridonitrito N
 - (3) Pentaamminecarbonatocobalt (III) chloride
 - (4) Triamminetriaquachrominum (III) chloride

Ans. (1)

58. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: In equation $\Delta_r G = -nFE_{cell}$, value of $\Delta_r G$ depends on n.

Reason R: E_{cell} is an intensive property and $\Delta_r G$ is an extensive property.

In the light of the above staements, choose the **correct** answer from the options given below:

- (1) Both A and R are true and R is the correct explanation of A.
- (2) Both A and R are true and R is NOT the correct explanation of A
- (3) A is ture but R is false
- (4) A is false but R is true

Ans. (4)

59. Complete the following reaction:

$$O \xrightarrow{HCN} OH$$

$$CN$$

$$\xrightarrow{conc.H_2SO_4} [C]$$

[C] is _____

Ans. (4)

- **60.** The element expected to form largest ion to achiebe the nearest noble gas configuration is:
 - (1) O
- (2) F
- (3) N
- (4) Na

- **61.** Weight (g) of two moles of the organic compound, which is obtained by heating sodium ethanoate with sodium hydroxide in presence of calcium oxide is
 - (1) 16
- (2) 32
- (3) 30
- (4) 18

Ans. (2)

- **62.** Taking stability as the factor, ,which one of the following represents **correct** relationship?
 - (1) $TlCl_3 > TlCl$
- (2) $InI_3 > InI$
- (3) $AlCl > AlCl_3$
- (4) TII > TII₃

Ans. (4)

- **63.** Which of the following reactions will NOT given primary amine as the product?
 - (1) $CH_3CONH_2 \xrightarrow{Br_2/KOH} Product$
 - (2) $CH_3CN \xrightarrow{(i)LiAlH_4} Product$
 - (3) $CH_3NC \xrightarrow{(i)LiAlH_4} Product$
 - (4) $CH_3CONH_2 \xrightarrow{(i)LiAlH_4} Product$

Ans. (3)

- **64.** Amongst the given options which of the following molecules / ion acts as a Lewis acid?
 - (1) NH₃
- (2) H₂O
- (3) BF₃
- (4) OH

Ans. (3)

65. Consider the following reaction and identify the product (P)

$$\begin{array}{ccc}
CH_3 - CH - CH - CH_3 \\
& & | & \\
CH_3 & OH
\end{array}
\xrightarrow{HBr} Product(P)$$

3 - Methylbutan - 2 - ol

(1)
$$CH_3 - C - CH_2 - CH_3$$

 CH_3

- (2) $CH_3CH = CH CH_3$
- $(3) \quad \begin{array}{c} CH_3 CH CH CH_3 \\ CH_3 \quad Br \end{array}$


$$(4) \quad \begin{array}{c} \operatorname{CH_3} \\ | \\ \operatorname{CH_3} - \operatorname{C} - \operatorname{CH_2Br} \\ | \\ \operatorname{CH_3} \end{array}$$

Ans. (1)

66. Identify the product in the following reaction :

$$\begin{array}{c}
\stackrel{+}{N_2}ClH \\
&\stackrel{(i)Cu_2Br_2/HBr}{(ii)Mg/dryether} \\
&\stackrel{(ii)H_2O}{\longrightarrow} Product
\end{array}$$

OH (1) (2)



Ans. (2)

- 67. The number of σ bonds, π bonds and lone pair of electrons in pyridine, respectively are:
 - (1) 11, 2, 0
- (2) 12, 3, 0
- (3) 11, 3, 1
- (4) 12, 2, 1


Ans. (3)


- **68.** Which one is an example of heterogenous catalysis?
 - (1) Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen.
 - (2) Hydrolysis of sugar catalysed by H⁺ ions.
 - (3) Decomposition of ozone in presence of nitrogen monoxide
 - (4) Combination between dinitrogen and dihydrogen to form amonia in the presence of finely divided iron.


Ans. (4)


- **69.** For a certain reactio, the rate $= k[A]^2[B]$, when the initial concentration of A is tripled keeping concentration of B constant, the initial rate would
 - (1) decrease by a factor of nine
 - (2) increase by a factor of six.
 - (3) increse by a factor of nine
 - (4) increase by a factor of three

70. Which amongst the following option is **correct 71.** graphical representation of Boyle's Law?









Ans. (2)

The **right** option for the mass of CO₂ produced by heating 20g of 20% pure limestone is (Atomic mass of Ca = 40)

$$\left\lceil \text{CaCO}_3 \xrightarrow{1200 \text{K}} \text{CaO} + \text{CO}_2 \right\rceil$$

- (1) 1.12 g (2) 1.76 g
- (3) 2.64 g
- (4) 1.32 g

Ans. (2)

72. The relation between n_m , (n_m = the number of permissible values of magnetic quantum number (m)) for a given value of azimuthal quantum number (l), is

(1)
$$l = \frac{n_m - 1}{2}$$
 (2) $l = 2n_m + 1$

(3)
$$n_m = 2l^2 + 1$$
 (4) $n_m = l + 2$

Ans. (1)

- The conductivity of centimolar solution of KCl at 73. 25°C is 00210 ohm⁻¹ cm⁻¹ and the resistance of the cell containing the solution at 25°C is 60 ohm The value of cell constant is -
 - $(1) 1.34 \text{ cm}^{-1}$
- (2) 3.28 cm⁻¹
- $(3) 1.26 \text{ cm}^{-1}$
- (4) 3.34 cm⁻¹

Ans. (3)

74. Given below are two statements:

> **Statement I:** A unit formed by the attached of a base to 1' position of sugar is known as nucleosie.

> Statement II: When nucleoside is linked to phosphorous acid at 5' - position of sugar moety, we get nucleotide.

> In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both Statement I and Statement II are false
- (3) Statement I is true but Statement II is false
- (4) Statement I is false but Statement II is ture

Ans. (1)

Given below are two statements: one is labelled as 75. Assertion A and the other is labelled as Assertion A and the other is labelled as Reason R:

> **Assertion A:** Helium is used to dilute oxygen in diving apparatus.

Reason R: Helium has high solubility in O_2 .

In the light of the above statements, choose the correct anser from the options given blow:

- explanation of A
- (2) Both A and R are trhe and R is NOT the correct explanation of A
- (3) A is true but R is False
- (4) A is false but R is true

Ans. (1)

- **76.** The stability of Cu^{2+} is more than Cu^{+} salts in queous solution due to -
 - (1) first ionisation enthalpy
 - (2) enthalpy of atomization
 - (3) hydration energy
 - (4) second ionisation enthalpy

Ans. (3)

77. Match List - I with List - II

List - I

List - II

- A. Coke
- I. Carbon atoms are sp³ hybridised
- B. Diamond
- II. Used as a dry lubricant
- C. Fullerence
- III. Used as a reducing agent
- D. Graphite
- IV. Cage like molecules

Choose the **correct** answre from the options given below:

- (1) A II, B IV, C I, D III
- (2) A IV, B I, C II, D III
- (3) A III, B I, C IV, D II
- (4) A III, B IV, C I, D II

Ans. (3)

- **78.** A compound is formed by two elements A and B. The element B forms cubic close packed structure and atoms of A occupy 1/3 of tetrahedral voids. If the formula of the compound is $A_x B_y$, then the value of x + y is in option
 - (1) 5
- (2) 4
- (3) 3
- (4) 2

Ans. (1)

79. Among the following, the total number of species NOT having eight electrosn around central atom in its outer most shell, is

NH₃, AlCl₃, BeCl₂, CCl₄, PCl₅

- (1) 3
- (2) 2
- (3) 4
- (4) 1

Ans. (1)

- (1) Both A and R are true and R is the correct 80. Which of the following statements are NOT correct?
 - A. Hydrogen is used to reduce heavy meal oxides to metals
 - B. heavy water is used to study reaction mechanism.
 - C. Hydrogen is used to make saturated fats from
 - D. The H H bond dissocition enthalpy is lowest as compaed to a single bond between two atoms of any element.
 - E. Hydrogen rduces oxides of metals that are more active than iron.

Choose the **most appropriate** anwer from the options given below.

- (1) B, C, D, E ony
- (2) B, D only
- (3) D, E only
- (4) A, B, C only

Ans. (3)

81. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

> **Assertion A:** A reaction can have zero activation energy.

> **Reason R:** The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshodl value, is called activation energy.

> In the light of the above statements, choose the **correct** anser from the options given below:

- (1) Both A and R are true and R is the correct explanation of A
- (2) Both A and R are true and R is NOT the correct explanation of A
- (3) Ais true but R is false
- (4) A is false but R is true

Ans. (2)

- Some transquilizers are listed below. Which one from the following belongs to barbiturates?
 - (1) Chlordiazepoxide
 - (2) Meprophamate
 - (3) Valium
 - (4) Veronal

Ans. (4)

- **83.** Select the **Correct** statements from the following:
 - A. Atoms of all elemens are composed of two fundamental particles

- B. The mass of the electron is $9.10939 \times 10^{-31} \text{kg}$
- C. All the isotopes of a given element show same chemical properties
- D. Protons and electrons are collectively known as nucleons.
- E. Dalton's atomic theory, regarded the atom as an ultimate particle of matter.

Choose the **correct** answer from the options given below:

- (1) A, B and C only (2) C, D and E only
- (3) A and E only
- (4) B, C and E only

Ans. (4)

- **84.** Which one of the following statements is **correct?**
 - (1) The daily requirement of Mg and Ca in the human body is estimated to be 0.2 - 0.3 g.
 - (2) All enzymes that utilise ATP in phosphate ransfer require Ca as the cofactor
 - (3) The bone in human body is an inert and unchanging substance
 - (4) Mg plays roles in neuromuscular function and intermeuronal transmission.

Ans. (1)

- **85.** In Lassargne's extract of an organic compound. both nitrogen and sulphr are present, which gives blood red colour with Fe³⁺ due to the formation of
 - (1) $\operatorname{Fe_4}\left[\operatorname{Fe}(\operatorname{CN})_6\right]_3 \cdot \operatorname{xH_2O}$
 - (2) NaSCN
 - $(3) [Fe(CN), NOS]^4$
 - $(4) \left[\text{Fe}(\text{SCN}) \right]^{2+}$

Ans. (4)

Chemistry: Section B (Q. No. 86 to 100)

86. Which amongst the following will be most readily dehydrated under acidic conditinos?


(1)
$$\stackrel{\text{NO}_2}{\longleftarrow} \stackrel{\text{OH}}{\longleftarrow} \stackrel{\text{OH}}{\longleftarrow} \stackrel{\text{OH}}{\longleftarrow} \stackrel{\text{OH}}{\longleftarrow}$$

$$(3) \begin{array}{c|c} NO_2 & OH & NO_2 \\ H & OH (4) & OH \end{array}$$

Identify the final product [D] obtained in the following sequence of reactons.

$$CH_{3}CHO \xrightarrow{\text{(i)LiAlH}_{4}} [A] \xrightarrow{H_{2}SO_{4}} [B]$$

$$\xrightarrow{\text{HBr}} [C] \xrightarrow{\text{Na/dry ether}} [D]$$



- (3) C_4H_{10}
- (4) $HC \equiv C^{\Theta}Na^{+}$

Ans. (1)

On balancing the given redox reaction, 88.

$$a \operatorname{Cr}_2 \operatorname{O}_7^{2-} + b \operatorname{SO}_3^{2-}(aq) + c \operatorname{H}^+(aq) \rightarrow$$

$$2a\,Cr^{3+}(aq) + b\,SO_4^{2-}(aq) + \frac{c}{2}\,H_2O(\ell)$$

the coefficients a, b and c are found to be, respectively -

- (1) 1, 3, 8
- (3) 1, 8, 3

Ans. (1)

Given below ar two statements: 89.

> **Statement I:** The nutrient deficient wter bodies lead to eutrophication.

> **Statement II:** Eutrophication leads to decrease in the level of oxygen in the water bodies.

> In the light of the above statements, choose the correct answer from the options given below:

- (1) Both statement I and Statement II are true
- (2) Both Statement I and Statement II are false
- (3) Statemennt I is correct but Statement II is
- (4) Statement I is incorrect but Statement II is true

Ans. (4)

90. Match List - I with List - II

List - I List - II (Oxoacids of Sulphur) (Bonds)

- A. Peroxodisul phuric acid
- Two S-OH, Four S = OOne S-O-S
- B. Sulphuric acid
- II. Two S-OH, One S=O
- C. Pyrosulphuric acid
- III. Two S-OH, Four S=O One S-O-O-S
- D. Sulphurous acid IV. Two S-OH, Two S=O

Choose the correct anser from the options given below:


- (1) A I, B III, II, D IV
- (2) A III, B IV, C I, D II
- (3) A I, B III, C IV, D II
- (4) A III, B IV, C II, D I

Ans. (2)

- 91. The equilibrium concentrations of the species in the reaction $A + B \rightleftharpoons C + D$ are 2, 3, 10 an 6 mol L^{-1} , respectively at 300 K. ΔG° for the reaction is (R = 2 cal/mol K)
 - (1) 1372.60 cal
- (2) -137.26 cal
- (3) -1381.80 cal
- (4) 13.73 cal

Ans. (3)

92. Consider the following copounds. species:





iii.



v.



vii.

The number of compounds / species which obey Huckel's rule is .

- (1) 4
- (2) 6
- (3) 2
- (4) 5

Ans. (1)

- 93. Which of the following statements are INCORRECT?
 - A. All the transition metals except scandium form MO oxides which ar ionic.
 - B. The highest oxidation number corresponding to the group number in transition metal oxides is attained in Sc_2O_3 to Mn_2O_7

- C. Basic character increases from V_2O_3 to V_2O_4 to V_2O_5 .
- D. V_2O_4 dissolves in acids to given VO_4^{3-} salts
- E. CrO is basic but Cr₂O₃ is amphoteric

Choose the **correct** answer from the options given below:

- (1) A and E only
- (2) B and D only
- (3) C and D only
- (4) B and C only

Ans. (1)

- **94.** Pumice stone is an example of
 - (1) sol
- (2) gel
- (3) solid sol
- (4) foam

Ans. (3)

95. Consider the following reaction:

$$CH_2-O \xrightarrow{HI} A + B$$

Identify product A and B.

(1)
$$A = \bigcirc CH_3$$
 and $B = \bigcirc OH$

(2)
$$A = CH_2OH \text{ and } B = I$$

(3)
$$A = \bigcirc CH_2I$$
 and $B = \bigcirc OH$

(4)
$$A = \bigcirc CH_3$$
 and $B = \bigcirc I$

Ans. (3)

- **96.** Which complex compound is most stable?
 - (1) $\left[\text{Co(NH}_3)_4 \left(\text{H}_2 \text{O} \right) \text{Br} \right] \left(\text{NO}_3 \right)_2$
 - (2) $\left[\text{Co(NH}_3)_3 \left(\text{NO}_3 \right)_3 \right]$
 - (3) $\left[\text{CoCl}_2(\text{en})_2\right]\text{NO}_3$
 - (4) $\left[\text{Co}(\text{NH}_3)_6 \right]_2 \left(\text{SO}_4 \right)_3$

97. Identify the major product obtained in the following reaction:

$$\begin{array}{c}
O \\
H \\
+2[Ag(NH_3)_2]^+ + \\
O
\end{array}$$

 $3^{-}OH \xrightarrow{\Delta} major product$

$$(3) \bigcirc (4) \bigcirc OH$$

$$COO^{-} (4) \bigcirc COO^{-}$$

Ans. (3)

- **98.** Which amongst the following options is the **correct** relation beween change in enthalpy and change in internal energy?
 - (1) $\Delta H = \Delta U \Delta n_{\sigma} RT$
 - (2) $\Delta H = \Delta U + \Delta n_g RT$
 - (3) $\Delta H = \Delta U + \Delta n_g RT$
 - (4) $\Delta H + \Delta U = \Delta nR$

Ans. (2)

- **99.** What fraction of one edge cenred octahedral void lies in one unit cell of fcc?
 - (1) $\frac{1}{2}$
- (2) $\frac{1}{3}$
- (3) $\frac{1}{4}$
- $(4) \frac{1}{12}$

Ans. (3)

- **100.** The reaction that does NOT take place in a blast furnace between 900 K to 1500 K temperature range during extraction of iron is:
 - (1) $Fe_2O_3 + CO \rightarrow 2FeO + CO_2$
 - (2) $FeO + CO \rightarrow Fe + CO_2$
 - $(3) \quad C + CO_2 \rightarrow 2CO$
 - (4) $CaO + SiO_2 \rightarrow CaSiO_3$

Ans. (3)

- **101.** Movement and accumulation of ions across a membrane against their concentration gradient can be explained by
 - (1) Osmosis
 - (2) Facilitated
 - (3) Passive Transport
 - (4) Active Transport

Ans. (4)

102. Given below are two statements: One is labelled as Assertion A and the ther is labelled as Reason R:

Assertion A: ATP is used at two steps in glycolysis.

Reason R: First ATP is used in converting glucose into glucose-6-phosphate and second ATP is used in conversion of fructose-6-phosphate into fructose-1-6-diphosphate.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **A** and **R** are true and **R** is the correct explanation of **A**
- (2) Both **A** and **R** are true but **R** is NOT the correct explanation of **A**
- (3) A is true but R is false
- (4) A is false but R is true.

Ans. (1)

- 103. Among eukaryotes replication of DNA takes place in
 - (1) M phase
- (2) S phase
- (3) G_1 phase
- (4) G₂ phase

Ans. (2)

104. Given below are two stements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: Late wood has fewer xylary elements with narrow vessels.

 $\textbf{Reason R:} \ Cambium \ is \ less \ active \ in \ winters.$

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **A** and **R** are true and **R** is the correct explanation of **A**
- (2) Both **A** and **R** are true but **R** is NOT the correct explanation of **A**
- (3) A is true but R is false
- (4) A is false but R is true.

Ans. (1)

- 105. The process of appearance of recombination nodules occurs at which sub stage of prophase I in meiosis?
 - (1) Zygotene
- (2) Pachytene
- (3) Diplotene
- (4) Diakinesis

Ans. (2)

- **106.** Unequivocal proof that DNA is the genetic material was first propsoed by
 - (1) Frederick Griffith
 - (2) Alfred Hershey and Martha Chase
 - (3) Avery, Macleoid and McCarthy
 - (4) Wilkins and Franklin

Ans. (2)

107. Given below are two statements: One is labelled as Assertion A and the ther is labelled as Reason R:

Assertion A: The first stage of gametophyte in the life cycle of moss is protonema stage.

Reason R: Protonema develops directly from spores produced in capsule.

In the light of the above statements, choose the **most appropriate** answer from the options given below:

- (1) Both **A** and **R** are correct and **R** is the correct explanation of **A**
- (2) Both A and R are correct but R is NOT the correct explanation of A
- (3) A is correct but R is not correct.
- (4) A is not correct but R is correct.

Ans. (1)

- 108. In gene gun method used to introduced alien DNA into host cells, microparticles of _____ metal are used.
 - (1) Copper
- (2) Zinc
- (3) Tungsten or gold (4) Silver

Ans. (3)

- **109.** Axile placentation is observed in
 - (1) Mustard, Cucumber and Primrose
 - (2) China rose, Beans and Lupin
 - (3) Tomato, Dianthus and Pea
 - (4) China rose, Petunia and Lemon

Ans. (4)

110. In the equation

GPP - R = NPP

GPP is Gross Primary Productivity

NPP is Net Primary Productivity

R here is .

- (1) Photosynthetically active radiation
- (2) Respiratory quotient
- (3) Respiratory loss
- (4) Reproductive allocation

Ans. (3)

- 111. In tissue culture experiments, leaf mesophyll cells are put in a culture medium to form callus. This phenomenon may be called as:
 - (1) Differentiation
- (2) Dedifferention
- (3) Development
- (4) Senescence

Ans. (2)

- 112. What is the role of RNA polymerase III in the process of transcription of rRNAs (28S, 18S and 5.8S)
 - (1) Transcription of rRNAs (28S, 18S and 5.8S)
 - (2) Transcription of tRNA, 5 srRNA and snRNA
 - (3) Transcription of precursor of mRNA
 - (4) Trancription of one snRNAs

Ans. (2)

- **113.** Upon exposure to UV radiation, DNA stained with ethidium bromide will show
 - (1) Bright red colour
 - (2) Brith blue colour
 - (3) Bright yellow colour
 - (4) Bright orange colour

Ans. (4)

- **114.** The thickness of ozone in a column in air in the atmosphere is measured in terms of
 - (1) Dobson units
- (2) Decibels
- (3) Decameter
- (4) Kilobase

Ans. (1)

- 115. Which hormone promotes internode/petiole elongation in deep water rice?
 - (1) GA₃
- (2) Kinetin
- (3) Ethylene
- (4) 2, 4-D

- **116.** In angiosperm, the haploid, diploid and triploid structure of a fertilized embryo sac sequentially are
 - (1) Synergids, Primary endosperm nucleus and zygote

- endosperms nucleus
- (3) Synergids, Zygote and Primary endosperm nucleus
- (4) Synergids, antipodals and Polar nuclei

Ans. (3)

- 117. Cellulose does not form blue colour with Iodine because
 - (1) It is a disaccharide
 - (2) It is a helical molecule
 - (3) It does not contain complex helices and hence cannot hold ioine molecules
 - (4) It breakes down when iodine reacts with it

Ans. (3)

- 118. Among 'The Evil Quarter', which one is considered the most important cause driving extinction of species?
 - (1) Habitat loss and framentation
 - (2) Over exploitation for economic gain
 - (3) Alien species invasions
 - (4) Co-extinctions

Ans. (1)

- 119. Identify the pair of heterosporous pteridophytes among the following:
 - (1) Lycopodium and Selaginella
 - (2) Selaginella and Salvinia
 - (3) Psilotum and Salvinia
 - (4) Equisetum and Salvinia

Ans. (2)

- 120. Family Fabaceae differs from Solannceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solananceae or Liliaceae.
 - (1) Diadelphous and Diethecous anthers
 - (2) Polyadelphous and epipetalous stamens
 - (3) Monoadelphous and Monothecous anthers
 - (4) Epiphyllous and Dithecous anthers

- **121.** The historic Convention of Biological Diversity, 'The Earth Summit' was held in Rio de Janerio in the year:
 - (1) 1985
- (2) 1992
- (3) 1986
- (4) 2002

Ans. (2)

- (2) Antipodals, synergids, and primary 122. During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out
 - (1) RNA
- (2) DNA
- (3) Histones
- (4) Polysaccharides

Ans. (2)

- **123.** What is the function of tassels in the corn cob?
 - (1) To attract insects
 - (2) To trap pollen grains
 - (3) To disperse pollen grains
 - (4) To protect seeds

Ans. (3)

124. Given below are two statements:

Statement I: The forces generated by transpiration can lift a xylem-sized column of water over 130 meter height.

Statement II: Transpiration cools leaf surfaces sometimes 10 to 15 degrees, by evaporative cooling.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement I and Statement II are correct
- (2) Both Statement I and Statement II are incorrect
- (3) Statement I is correct but Statement II is incorrect
- (4) Statement I is incorrect but Statement II is correct

Ans. (1)

- **125.** Spraying of which of the following phytohormone on juveline conifers helps in hastening the maturity period, that leads to early seed production?
 - (1) Indole-3-butyric Acid
 - (2) Gibberellic Acid
 - (3) Zeatin
 - (4) Abscisic Acid

Ans. (2)

- 126. Which micronutrient is required for splitting of water molecule during photosynthesis?
 - (1) manganese
- (2) molybdenum
- (3) magnesium
- (4) copper

Ans. (1)

- **127.** Identify the **coorect** statement :
 - A. Detrivores perform fragmentation.
 - B. The humus is further degraded by some microbes during mineralization.
 - C. Water soluble inorgagnic nutrients go down into the soil and get precipitated by a process called leaching.
 - D. The detritus food chains begins with living organisms.
 - E. Earthworms break down detritus into smaller particles by a process called catabolism.

Choose the **correct** answer from the options given below:

- (1) A, B, C only
- (2) B, C, D only
- (3) C, D, E only
- (4) D, E, A only

Ans. (1)

- 128. Which of the following stages of meiosis involves division of centromere?
 - (1) Metaphase I
- (2) Metaphase II
- (3) Anaphase II
- (4) Telophase

Ans. (3)

- 129. The reaction centre in PS II has an absorption maxima at
 - (1) 680 nm
- (2) 700 nm
- (3) 660 nm
- (4) 780 nm

Ans. (1)

130. Given below are two statements:

Statement I: Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body.

Statement II: Exarch condition is the most common feature of the root system.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both Statement I and Statement II are false
- (3) Statement I is correct but Statement II is false
- (4) Statement I is incorrect but Statement II is true.

Ans. (4)

131. Frequency of recombination between gene pairs on same chromosome as a measure of the distance between genes to map their position on chromosome, was used for the first time by

- (1) Thomas Hunt Morgan
- (2) Sutton and Boveri
- (3) Alfred Sturtevant
- (4) Henking

Ans. (3)

- **132.** The phenomenon of pleiotropism refers to
 - (1) presence of several alleles of a single gene controlling a single crossover
 - (2) presence of two alleles, each of the two genes controlling a single trait.
 - (3) a single gene affecting multiple phenotypic expression
 - (4) more than two genes affecting a single character

Ans. (3)

- 133. Expressed Sequence Tags (ESTs) refers to
 - (1) All genes that are expressed as RNA
 - (2) All genes that are expressed as proteins
 - (3) All genes whether expressed or unexpressed
 - (4) Certain important expressed genes

Ans. (1)

- 134. How many ATP and NADPH, are required for the synthesis of one molecule of Glucose during Calvin cycle?
 - (1) 12 ATP and 12 NADPH₂
 - (2) 18 ATP and 12 NADPH₂
 - (3) 12 ATP and 16 NADPH₂
 - (4) 18 ATP and 16 NADPH₂

Ans. (2)

- 135. Large, colourful, fragrant flowers with nectar are seen in:
 - (1) insect pollinated plants
 - (2) bird pollinated plants
 - (3) bat pollinated plants
 - (4) wind pollinated plants

Ans. (1)

136. Match List I with List II .

List I

List II

- A. M Phase
- I Proteins are synthesized
- B. G₂ Phase
- II. Inactive phase
- C. Quiescent stage III. Interval between

mitosis and initiation

of DNA

D. G₁ Phase IV. Equational division

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-IV, D-I
- (2) A-IV, B-II, C-I, D-III
- (3) A-IV, B-I, C-II, D-III
- (4) A-II, B-IV, C-I, D-III

Ans. (3)

- **137.** Which one of the following statementd id **NOT** correct?
 - (1) The micro-organisms involved in biodegration of organic matter in a sewage polluated water body consume a lot of oxygen causing the death of aquatic organisms.
 - (2) Algal blooms caused by excess of organic matter in water improve water quality and promote fisheries.
 - (3) Water hyacinth grows abundantly in eutropic water bodies and leads to an imbalance in the ecosystem dynamics of the water body
 - (4) The amount of some toxic substances of industrial waste water increases in the organisms at successive trophic levels.

Ans. (2)

138. Given below are two statements: One is labelled as Assertion A and the ther is labelled as Reason R:

Assertion A: A flower is defined as modified shoot wherein the shoot apical meristem changes to floral meristem.

Reason R: Internode of the shoot gets condensed to produce different floral appendages laterally at successive nodes instead of leaves.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **A** and **R** are true and **R** is the correct explanation of **A**
- (2) Both **A** and **R** are true but **R** is NOT the correct explanation of **A**
- (3) A is true but R is false
- (4) A is false but R is true.

Ans. (1)

- **139.** Main steps in the formation of Recombinant DNA are given below. Arrange these steps in correct sequence.
 - A. Insertion of recombinant DNA into the host

cell.

- B. Cutting of DNA at specific location by restriction enzyme
- C. Isolation of desired DNA fragment.
- D. Amplification of gene of interest using PCR. Choose the correct answer from the options given below:
- (1) B, C, D, A
- (2) C, A, B, D
- (3) C, B, D, A
- (4) B, D, A, C

Ans. (1)

- **140.** How many different proteins does the ribosome consist of?
 - (1) 80
- (2) 60
- (3) 40
- (4) 20

Ans. (1)

141. Match List I with List II:

:~4 T	T int	II
ist I	List	11

- List
 A. Iron
- I. Synthesis of auxin
- B. Zinc
- II. Component of nitrate reductase
- C. Boron
- III. Activator catalase
- D. Molybdenum
- IV. Cell elongation and differentiation

Choose the correct answer from the options given below:

- (1) A-III, B-II, C-I, D-IV
- (2) A-II, B-III, C-IV, D-I
- (3) A-III, B-I, C-IV, D-II
- (4) A-II, B-IV, C-I, D-III

Ans. (3)

142. Given below are two statements: One is labelled as **Assertion A** and the ther is labelled as **Reason R**:

Assertion A: In gymnosperms the pollen grains are released from the microsporangium and carried by air currents.

Reason R: Air currents carry the pollen grains to the mouth of the archegonia where the male gametes are discharged and pollen tube is not formed.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **A** and **R** are true and **R** is the correct explanation of **A**
- (2) Both A and R are true but R is NOT the

correct explanation of A

- (3) \mathbf{A} is true but \mathbf{R} is false
- (4) A is false but R is true.

Ans. (3)

143. Match List I with List II:

List I List II

(Interaction) (Species A and B)

- A. Mutualism I. +(A), O(B)
- B. Commensalism II. (A), O(B)
- C. Amensalism III. +(A), -(B)
- D. Parasitism IV. +(A), +(B)

Choose the **correct** answer from the options given below:

- (1) A-IV, B-II, C-I, D-III
- (2) A-IV, B-I, C-II, D-III
- (3) A-IV, B-III, C-I, D-II
- (4) A-III, B-I, C-IV, D-II

Ans. (2)

- **144.** Melonate inhibits the growth of pathogenic bacteria by inhibiting the activity of
 - (1) Succinic dehydrogenase
 - (2) Amylase
 - (3) Lipase
 - (4) Dinitrogenase

Ans. (1)

145. Match List I with List II:

List I List II

- A. Cohesion I. More attraction in liquid phase
- B. Adhension II. Mutual attraction among water molecules
- C. Surface tension III. Water loss in liquid phase
- D. Guttation IV. Attraction towards polar surfaces

Choose the **correct** answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-I, C-IV, D-II
- (4) A-II, B-I, C-IV, D-III

Ans. (1)

- **146.** Which of the following combinations is required for chemiosmosis?
 - (1) membrane, proton pump, proton gradient, ATP synthase
 - (2) membrane, proton pump, proton gradient, NADP synthase
 - (3) proton pump, electron gradient, ATP synthase
 - (4) proton pump, electron gradient, NADP synthase

Ans. (1)

- **147.** Identify the **correct** statements :
 - A. Lenticels are the lens-shaped openings permitting the exchange of gases.
 - B. Bark formed early in the season is called hard bark.
 - C. Bark is a technical term that refers to all tissues exterior to vascular cambium.
 - D. Bark refers to periderm and secondary phloem.
 - E. Phellogen is single-layered in thickness.

Choose the correct answer from the option given below:

- (1) B, C and E only (2) A and D only
- (3) A, B and D only (4) B and C only

Ans. (3)

- **148.** Which of the following statements are correct about Klinefelter's Syndrome?
 - A. This disorder was first described by Langdon Down (1866).
 - B. Such an individual has overall masculine development. However, the feminine development is also expressed.
 - C. The affected individual is short statured.
 - D. Physical, psychomotor and mental development is retarded.
 - E. Such individuals are sterile.

Choose the **correct** answer from the option given below:

- (1) A and B only
- (2) C and D only
- (3) B and E only
- (4) A and E only

Ans. (3)

149. Given below are two statements:

Statement I : Gause's 'Competitive Exclusion Principle' states that two closely related species competing for the same resources cannot co-exist

indefinitely and competitively inferior one will be eliminated eventually.

Statement II: In general, carnivores are more adversely affected by competition than herbivores. In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement I** and **Statement II** are true
- (2) Both **Statement I** and **Statement II** are false
- (3) Statement I is correct but Statement II is false
- (4) Statement I is incorrect but Statement II is

Ans. (1)

150. Match List I with List II:

List I

List II

- A. Oxidative decarboxylation
- Citrate synthase I.
- B. Glycolysis
- II. Pyruvate dehydrogenase
- C. Oxidative phosphorylation
- III. Electron transport system
- D. Tricarboxylic acid cycle
- IV. EMP pathway

Choose the **correct** answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
- (2) A-II, B-IV, C-I, D-III
- (3) A-III, B-I, C-II, D-IV
- (4) A-II, B-IV, C-III, D-I

Ans. (4)

151. Match List I with List II:

List I

List II

(Types of Joint) (Found between)

- A. Cartilaginous Joint
- Between flat skull bones
- **Joint**
- B. Ball and Socket II. Between adjacent vertebrae in vertebral column
- C. Fibrous Joint III. Between carpal and metacarpal of thumb
- D. Saddle Joint IV. Between Humerus and Pectoral girdle

Choose the **correct** answer from the options given below:

(1) A-III, B-I, C-II, D-IV

- (2) A-II, B-IV, C-I, D-III
- (3) A-I, B-IV, C-III, D-II
- (4) A-II, B-IV, C-III, D-I

Ans. (2)

- **152.** Which of the following functions is carried out by cytoskeleton in a cell?
 - (1) Nuclear division (2) Protein synthesis
 - (3) Motility
- (4) Transportation

Ans. (3)

153. Match List I with List II:

List I

List II

- A. Gene 'a'
- β-galactosidase I.
- B. Gene 'v'
- II. Transacetylase
- C. Gene 'i'
- III. Permease
- D. Gene 'z'
- IV. Repressor protein

Choose the **correct** answer from the options given below:

- (1) A-II, B-I, C-IV, D-III
- (2) A-II, B-III, C-IV, D-I
- (3) A-III, B-IV, C-I, D-II
- (4) A-III, B-I, C-IV, D-II

Ans. (2)

154. Given below are two statements: One is labelled as Assertion A and the ther is labelled as Reason

> Assertion A: Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme.

> Reason R: Ban on amniocentesis checks increasing menace of female foeticide.

> In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are true and R is the correct explanation of A
- (2) Both A and R are true but R is NOT the correct explanation of A
- (3) A is true but R is false
- (4) A is false but R is true.

Ans. (2)

155. Match List I with List II:

List I

List II

- A. Ringworm
- I. Haemophilus influenzae
- B. Filariasis
- II. Trichophyton

- C. Malaria
- III. Wuchereria bancrofit
- D. Pneumonia
- IV. Plasmodium vivax

Choose the **correct** answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-II, B-III, C-I, D-IV
- (3) A-III, B-II, C-I, D-IV
- (4) A-III, B-II, C-IV, D-I

Ans. (1)

156. Match List I with List II:

List I

List II

- A. Vasectomy
- Oral method I
- B. Coitus interruptus II. Barrier method
- C. Cervical caps
- III. Surgical method
- D. Saheli
- IV. Natural method

Choose the **correct** answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-III, B-IV, C-II, D-I
- (3) A-II, B-III, C-I, D-IV
- (4) A-IV, B-II, C-I, D-III

Ans. (2)

- 157. Which one of the following techniques does not serve the purpose of early diagnosis of a disease for its early treatment?
 - (1) Recombinant DNA Technology
 - (2) Serum and Urine analysis
 - (3) Polymerase Chain Reaction (PCR) technique
 - (4) Enzyme Linked Immuno-Sorbent Assay (ELISA) technique

Ans. (2)

158. Match List I with List II with respect to human

A.	Fovea	I.	Visible coloured portion of eye that regulates diameter of pupil.
В.	Iris	II.	External layer of eye formed of dense connective tissue.
C.	Blind spot	III.	Point of greatest visual acuity or resolution.
D.	Solera	IV.	Point where optic

eyeball and photoreceptor cells are absent.

Choose the **correct** answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-IV, B-III, C-II, D-I
- (3) A-I, B-IV, C-III, D-II
- (4) A-II, B-I, C-III, D-IV

Ans. (1)

- 159. Select the correct group/set of Australian Marsupials exhibiting adaptive radiation.
 - (1) Tasmanian wofl, Babcat, Marsupial mole
 - (2) Numbat, Spotted cuscus, Flying phalanger
 - (3) Mole, Flying squirrel, Tasmanian tiger cat
 - (4) Lemur, Anteater, Wolf

Ans. (2)

160. Match List I with List II:

)		
	List I		List II
A.	P - wave	I.	Beginning of systole
B.	Q - wave	II.	Repolarisation of ventricles
C.	QRS complex	III.	Depolarisation of atria
D.	T - wave	IV.	Depolarisation of atria ventricles

Choose the **correct** answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- (2) A-IV, B-III, C-II, D-I
- (3) A-II, B-IV, C-I, D-III
- (4) A-I, B-II, C-III, D-IV

Ans. (1)

161. Match List I with List II:

List I		List II		List I		List II
Fovea	I.	Visible coloured portion of eye that	A.	Heroin	I.	Effect on cardiovascular system
		regulates diameter of pupil.	B.	Marijuana	II.	Slow down body function
Iris	II.	External layer of eye	C.	Cocaine	III.	Painkiller
		formed of dense connective tissue.	D.	Morphine	IV.	Interfere with transport dopamine
Blind spot	III.	Point of greatest visual acuity or resolution.		oose the correct ar	iswe	r from the options given
Solera	IV.	Point where optic nerve leaves the	(1)	A-II, B-I, C-IV,	D-III	[

- (2) A-I, B-II, C-III, D-IV
- (3) A-IV, B-III, C-II, D-I
- (4) A-III, B-IV, C-I, D-II

Ans. (1)

- **162.** Vital capacity of lung is _____.
 - (1) IRV + ERV
 - (2) IRV + ERV + TV + RV
 - (3) IRV + ERV + TV RV
 - (4) IRV + ERV + TV

Ans. (4)

- **163.** Broad palm with single palm crease is visible in a person suffering from-
 - (1) Down's syndrome
 - (2) Turner's syndrome
 - (3) Klinefelter's syndrome
 - (4) Thalassemia

Ans. (1)

- **164.** Which one of the following common sexually transmitted diseases is completely curable when detected early and treated properly?
 - (1) Genital herpes
- (2) Gonorrhoea
- (3) Hepatitis-B
- (4) HIV Infection

Ans. (2)

165. Given below are two statements:

Statement I : Ligaments are dense irregular tissue.

Statement II: Cartilage is dense regular tissue. In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both **Statement I** and **Statement II** are false
- (3) Statement I is true but Statement II is false
- (4) **Statement I** is false but **Statement II** is true.

Ans. (2)

166. Given below are two statements:

Statement I: A protein is imagined as a line, the left end represented by first amino acid (C-terminal) and the right end represented by last amino acid (N-terminal)

Statement II : Adult human haemoglobin, consists of 4 subunits (two subunits of α type and two subunits of β type.)

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both **Statement I** and **Statement II** are false
- (3) Statement I is true but Statement II is false
- (4) **Statement I** is false but **Statement II** is true.

Ans. (4)

167. Match List I with List II:

List I

List II

(Interacting species) (Name of Interaction)

- A. A Leopard and I. Competition a Lion in a forest/glassland
- B. A Cuckoo laying II. Brood parasitism egg in a Crow's nest
- C. Fungi and root of III. Mutualism higher plant in Mycorrtizae
- D. A cattle egret IV. Commensalism and a Cattle in a field

Choose the **correct** answer from the options given below:

- (1) A-I, B-II, C-III, D-IV
- (2) A-I, B-II, C-IV, D-III
- (3) A-III, B-IV, C-I, D-II
- (4) A-II, B-III, C-I, D-IV

Ans. (1)


- **168.** Which of the following is not a cloning vector?
 - (1) BAC
- (2) YAC
- (3) pBR322
- (4) Probe

Ans. (4)

169. Which one of the following symbols represents mating between relatives in human pedigree analysis?









Ans. (2)

- **170.** Which of the following statements are correct regarding female reproductive cycle?
 - A. In non-primate mammals cyclical changes during reproduction are called oestrus cycle.
 - B. First menstrual cycle begins at puberty and is

called menopause.

- C. Lack of menstruation may be indicative of pregnancy.
- D. Cyclic menstruation extends between menarche and menopause.

Choose the **most appripriate** answer from the option given below:

- (1) A and D only
- (2) A and B only
- (3) A, B and C only (4) A, C and D only

Ans. (4)

171. Match List I with List II:

	List I		List II
A.	CCK	I.	Kidney
B.	GIP	II.	Heart
C.	ANF	III.	Gastric gland
D.	ADH	IV.	Pancreas
~1			

Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-III, B-II, C-IV, D-I
- (3) A-II, B-IV, C-I, D-III
- (4) A-IV, B-II, C-III, D-I

Ans. (1)

172. Given below are two statements:

Statement I: In prokarotes, the positively charged DNA is held with some negatively charged proteins in a region called nucleoid.

Statement II: In eukaryotes, the negatively charged DNA is wrapped around the positively charged histone octamer to form nucleosome.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both **Statement I** and **Statement II** are false
- (3) Statement I is true but Statement II is false
- (4) **Statement I** is false but **Statement II** is true.

Ans. (4)

173. Which of the following are NOT considered as the part of endomembrane system?

A. Mitochondria B. Endoplasmic Reticulum

C. Chloroplasts D. Golgi complex

E. Peroxisomes

Choose the most appripriate answer from the

option given below:

- (1) B and D only (2) A, C and E only
- (3) A and D only (4) A, D and E only

Ans. (2)

174. Which of the following statements is correct?

- (1) Eutrophication refers to increase in domestic sewage and waste water in lakes.
- (2) Biomagnification refers to increase in concentration of the toxicant at successive trophic levels.
- (3) Presence of large amount of nutrients in water retricts 'Algal Bloom'
- (4) Algal Bloom decreases fish mortality

Ans. (2)

175. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Endometrium is necessary for implantation of blastocyst.

Reason R: In the absence of fertilization, the corpus leteum degenerates that causes distintegration of endometrium.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **A** and **R** are true and **R** is the correct explanation of **A**
- (2) Both A and R are true but R is NOT the correct explanation of A
- (3) \mathbf{A} is true but \mathbf{R} is false
- (4) A is false but R is true.

Ans. (2)

176. Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla.

Reason R: Juxta medullary nephrons have short loop of Henle whereas, cortical nephrons have longer loop of Henle.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **A** and **R** are true and **R** is the correct explanation of **A**
- (2) Both A and R are true but R is NOT the correct explanation of A

- (3) \mathbf{A} is true but \mathbf{R} is false
- (4) A is false but R is true.

Ans. (3)

- **177.** In which blood corpuscles, the HIV undergoes replication and produces progeny viruses?
 - (1) T_H cells
- (2) B-lymphocytes
- (3) Basophils
- (4) Eosinophils

Ans. (1)

- 178. Radial symmetry is NOT found in adults of phylum
 - (1) Ctenophora
- (2) Hemiphocytes
- (3) Coelenterata
- (4) Echinodermata

Ans. (2)

179. Given below are two statements:

Statement I: RNA mutates at a faster rate.

Statement II: Viruses having RNA genome and shorter life span mutate and evolve faster.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both **Statement I** and **Statement II** are false
- (3) Statement I is true but Statement II is false
- (4) Statement I is false but Statement II is true.

Ans. (1)

180. Match List I with List II:

List I	List II

- A. Peptic cells
- I. Mucus
- B. Goblet cells
- II. Bile juice
- C. Oxyntic cells
- III. Proenzyme pepsinogen
- D. Hepatic cells
- IV. HCl and intrinsic factor for absorption of vitamin B₁₂

Choose the **correct** answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-II, B-I, C-III, D-IV
- (3) A-III, B-I, C-IV, D-II
- (4) A-II, B-IV, C-I, D-III

Ans. (3)

181. Given below are two statements:

Statement I : Electrostatic precipitator is most widely used in thermal power plant.

Statement II: Electrostatic precipitator in thermal power plant removes ionising radiations.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement I** and **Statement II** are correct.
- (2) Both **Statement I** and **Statement II** are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- (4) **Statement I** is incorrect but **Statement II** is correct.

Ans. (3)

182. Given below are two statements:

Statement I: Low temperature preserves the enzyme in a temporarily inactive state whereas high temperature destroys enzymatic activity because proteins are denatured by heat.

Statement II: When the inhibitor closely resembles the substrate in its molecular structure and inhibits the activity of the enzyme, it is known as competitive inhibitor.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are true
- (2) Both **Statement I** and **Statement II** are false
- (3) Statement I is true but Statement II is false
- (4) **Statement I** is false but **Statement II** is true.

Ans. (1)

183. Match List I with List II:

D. Pheretima

	List I		List II
Α.	Taenia	I.	Nephridia
B.	Paramoecium	II.	Contractile vacuole
C.	Periplaneta	III.	Flame cells

Choose the **correct** answer from the options given below:

IV. Urecose gland

- (1) A-I, B-II, C-III, D-IV
- (2) A-I, B-II, C-IV, D-III
- (3) A-III, B-II, C-IV, D-I
- (4) A-II, B-I, C-IV, D-III

- **184.** Once the undigested and unabsorbed substances enter the caecum, their backflow is prevented by-
 - (1) Sphincter of Oddi
 - (2) Ileo caecal valve
 - (3) Gastro oesophageal sphincter

- (4) Pyloric sphincter
- Ans. (2)
- **185.** Given below are two statements:

Statement I: Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.

Statement II: The cavity of the cervix is called cervical canal which along with vagina forms birth canal.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **Statement I** and **Statement II** are true.
- (2) Both **Statement I** and **Statement II** are false.
- (3) Statement I is correct but Statement II is
- (4) **Statement I** is false but **Statement II** is true.

Ans. (1)

186. Match List I with List II:

List I

List II

- A. Logistic growth I.
- Unlimited resource availability condition
- B. Exponential growth
- II. Limited resource availability condition
- C. Expanding age pyramid
- III. The percent individuals of pre-reproductive and post reproductive age groups
- D. Stable age pyramid
- IV. The percent individuals of pre-reproductives and reproductive age group are same

Choose the **correct** answer from the options given below:

- (1) A-II, B-I, C-III, D-IV
- (2) A-II, B-III, C-I, D-IV
- (3) A-II, B-IV, C-I, D-III
- (4) A-II, B-IV, C-III, D-I

Ans. (1)

- **187.** The unique mammalian characteristics are:
 - (1) haris, tympanic membrane and mammary glands
 - (2) hairs, pinna and mammary glands
 - (3) hairs, pinna and indirect development
 - (4) pinna, monocondylic skull and mammary glands

- Ans. (2)
- **188.** Select the correct statements with reference to chordates.
 - A. Presence of a mid-dorsal, solid and double nerve cord.
 - B. Presence of closed circulatory system.
 - C. Presence of paired pharyngeal gillslits.
 - D. Presence of dorsal heart.
 - E. Triploblastic pseudocoelomate animals.

Choose the **correct** answer from the options given below:

- (1) A, C and D only (2) B and D only
- (3) B, D and E only (4) C, D and E only

Ans. (2)

- **189.** Select the correct statements.
 - A. Tetrad formation is seen during Leptotene.
 - B. During Anaphase, the centromeres split and chromatids separate.
 - Terminalization takes place during Pachytene.
 - D. Nucleolus, Golgi complex and ER are reformed during Telophase.
 - Crossing over takes place between sister chromatids of hokologous chromosome.

Choose the **correct** answer from the options given below:

- (1) A and C only
- (2) B and D only
- (3) A, C and E only (4) B and E only

Ans. (2)

- **190.** The parts of human brain that helps in regulation of sexual behaviour, expression of excitement, pleasure, rage, fear, etc. are:
 - (1) Limbic system & hypothalamus
 - (2) Corpora quadrigemina & hippocampus
 - (3) Brain stem & epithalamus
 - (4) Corpus callosum and thalamus

Ans. (1)

- **191.** Which one of the following is NOT an advantage of inbreeding?
 - (1) It decreases homozygosity.
 - (2) It exposes harmful recessive genes that are eliminated by selection.
 - (3) Elimination of less desirable genes and accumulation of superior genes takes place due to it
 - (4) It decreases the productivity of inbred

population, after continuous inbreeding.

Ans. (1)

192. Match List I with List II:

List I

List II

- A. Mast cells
- I. Ciliated epithelium
- B. Inner surface of bronchiole
- II. Areolar connective tissue
- C. Blood
- III. Cuboidal epithelium
- D. Tubular parts of nephrons
- IV. Specialised connective tissue

Choose the **correct** answer from the options given below:

- (1) A-I, B-II, C-IV, D-III
- (2) A-II, B-III, C-I, D-IV
- (3) A-II, B-I, C-IV, D-III
- (4) A-III, B-IV, C-II, D-I

Ans. (3)

- 193. Which of the following statements are correct?
 - A. An excessive loss of body fluid from the body switches off osmoreceptors.
 - B. ADH facilitates water reabsorption to prevent diutesis
 - C. ANF causes vasodilation.
 - D. ADH causes increases in blood pressure.
 - E. ADH is responsible for decrease in GFR.

Choose the **correct** answer from the options given below:

- (1) A and B only (2) B, C and D only
- (3) A, B and E only (4) C, D and E only

Ans. (2)

- **194.** Which one of the following is the sequence on corresponding coding strand, if the sequence on mRNA formed is as follows
 - 5' AUCGAUCGAUCGAUCG AUCG AUCG 3'?
 - (1) 5' UAGCUAGCUAGCUAGCUAGC UAGC 3'
 - (2) 3 UAGCUAGCUAGCUAGCUAGC
 - (3) 5'ATCGATCGATCGATCGATCGATCG
 - (4) 3'ATCGATCGATCGATCGATCGATCG

Ans. (4)

- **195.** Which of the following is characteristics feature of cockroach regarding sexual dimorphism?
 - (1) Dark brown body colour and anal cerci
 - (2) Presence of anal styles
 - (3) Presence of sclerites
 - (4) Presence of anal cerci

Ans. (2)

- **196.** Which of the following statements are correct?
 - A. Basophils are most abundant cells of the total WBCs
 - B. basophils secrete histamine, serotonin and heparin
 - C. Basophils are involved in inflammatory response
 - D. Basophils have kidney shaped nucleus
 - E. Basophils are agranulocytes

Choose the **correct** answer from the options given below:

- (1) D and E only
- (2) C and E only
- (3) B and C only
- (4) A and B only

Ans. (3)

- 197. Which of the following statements are correct regarding skeletal muscle?
 - A. Muscle bundles are held togethre by collagenous connective tissue layer called fascicle.
 - B. Sarcoplasmic reticulum of muscle fibre is a store house of calcium ions.
 - Striated appearance of skeletal muscle fibre is due to distribution patter of actin and myosin proteins.
 - D M line is considered as functional unit of contraction called sarcomere.

Choose the most appropriate answer from the options given below:

- (1) A, B and C only (2) B and C only
- (3) A, C and D only (4) C and D only

Ans. (1)

198. Given below are two statements:

Statement I: During G₀ phase of cell cycle, the cell is metabolically inactive.

Statement II: The centrosome undergoes dupliation during S phase of interphase.

In the light of the above statements, choose the most appropriate answer from the options given

below:

- (1) Both Statement I and Statement II are correct.
- (2) Both **Statement I** and **Statement II** are incorrect.
- (3) Statement I is correct but Statement II is incorrect.
- (4) **Statement I** is incorrect but **Statement II** is correct.

Ans. (4)

- 199. In cockroach, excretion is brought about by-
 - A. Phallic gland
- B. Urecose gland
- C. Nephrocytes
- D. Fat body
- E. Collaterial glands

Choose the **correct** answer from the options given below:

- (1) A and E only
- (2) A, B and E only
- (3) B, C and D only (4) B and D only

Ans. (3)

- **200.** Which of the following are NOT under the control of thyroid hormone?
 - A. Maintenance of water and electrolyte balance.
 - B. Regulation of basal metabolic rate
 - C. Normal rhythm of sleep-wake cycle
 - D. Development of imune system
 - E. Support the process of R.B.Cs formation

Choose the **correct** answer from the options given below:

- (1) A and D only
- (2) B and C only
- (3) C and D only
- (4) D and E only